

*

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2016

Reviewed on 01/15/2016

Page 1/12

	on		
Product identi	fier		
Trade name:	2K Wash Pr	imer olive gray 250ml	
· Article numbe	er: 3684029		
Application of	f the substan	ace / the mixture Paintwork	
Details of the Manufacturer Importer: Peter Kwasny, 400 Oser Ave Suite 1650 Hauppauge, N	/Supplier: Inc.	he safety data sheet	
Manufacturer: Peter Kwasny Heilbronnersti D-74831 Gund	GmbH r. 96		Tel.: 0049-(0)6269-92
		Product safety department nber: Tel.: 352-323-3500	
Hazard(s) id		on ance or mixture	
Classification	of the subst S02 Flame	ance or mixture	
Classification	of the subst S02 Flame		urized container: May burst if heated.
Classification	of the subst S02 Flame	ance or mixture 29 Extremely flammable aerosol. Pressi	urized container: May burst if heated.
Classification	of the subst S02 Flame 1 H222-H2	ance or mixture 29 Extremely flammable aerosol. Pressi	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2	of the subst S02 Flame 1 H222-H2 S08 Health I	ance or mixture 29 Extremely flammable aerosol. Pressi hazard Suspected of causing cancer.	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2	of the subst S02 Flame 1 H222-H2 S08 Health I H351	ance or mixture 29 Extremely flammable aerosol. Pressi hazard Suspected of causing cancer.	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2 GH.	of the subst S02 Flame 1 H222-H2 S08 Health I H351 S05 Corrosid H318	ance or mixture 229 Extremely flammable aerosol. Pressi hazard Suspected of causing cancer. on	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2 Carc. 2 Eye Dam. 1	of the subst S02 Flame 1 H222-H2 S08 Health I H351 S05 Corrosid H318	ance or mixture 229 Extremely flammable aerosol. Pressi hazard Suspected of causing cancer. on	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2 Carc. 2 Carc. 2 GH. Eye Dam. 1	of the subst S02 Flame 1 H222-H2 S08 Health I H351 S05 Corrosid H318 S07	ance or mixture 229 Extremely flammable aerosol. Pressi hazard Suspected of causing cancer. on Causes serious eye damage. Causes skin irritation.	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2 Carc. 2 Carc. 2 Carc. 1 Carc. 1 Carc. 1 Carc. 1 Carc. 2 Carc. 1 Carc. 2 Carc. 2 Carc. 2 Carc. 1 Carc. 2 Carc. 2 Carc. 1 Carc. 2 Carc. 1 Carc. 2 Carc. 1 Carc. 2 Carc. 2 Carc. 2 Carc. 2 Carc. 1 Carc. 1 Carc. 2 Carc.	of the subst S02 Flame 1 H222-H2 S08 Health I H351 S05 Corrosid H318 S07 H315	ance or mixture 29 Extremely flammable aerosol. Pressi hazard Suspected of causing cancer. on Causes serious eye damage.	urized container: May burst if heated.
Classification GH. Flam. Aerosol Carc. 2 Carc. 2 Carc. 2 Carc. 1 Carc. 1 Carc. 2 Carc. 3 Carc. 2 Carc. 2 Carc. 2 Carc. 2 Carc. 1 Carc.	of the subst S02 Flame 1 H222-H2 S08 Health I H351 S05 Corrosid H318 S07 H315 H317 H316	ance or mixture 29 Extremely flammable aerosol. Pressu hazard Suspected of causing cancer. on Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.	urized container: May burst if heated.

US -

Reviewed on 01/15/2016

Printing date 01/15/2016 Trade name: 2K Wash Primer olive gray 250ml (Contd. of page 1) · Hazard pictograms GHS05 GHS07 GHS02 GHS08 · Signal word Danger · Hazard-determining components of labeling: propan-1-ol propan-2-ol reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) butan-1-ol · Hazard statements Extremely flammable aerosol. Pressurized container: May burst if heated. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing cancer. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area. Wear protective gloves. *Wear eye protection / face protection.* Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Take off contaminated clothing and wash it before reuse. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: Without adequate ventilation, explosive atmosphere/gas mix may be created. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 4Reactivity = 3

(Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2016

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



· Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 115-10-6 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether	50-100%
CAS: 67-63-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	10-25%
CAS: 71-23-8	propan-1-ol	5-10%
CAS: 71-36-3	butan-1-ol	5-10%
CAS: 123-86-4	n-butyl acetate	2.5-5%
CAS: 25068-38-6	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)	1-2.5%
CAS: 1314-13-2	zinc oxide	1-2.5%
CAS: 7664-38-2	phosphoric acid	1-2.5%
CAS: 1330-20-7 Reg.nr.: 01-2119488216-32-xxxx	xylene	1-2.5%
CAS: 100-41-4	ethylbenzene	<1%
. Additional information: For the	wording of the listed risk phrases refer to section 16	

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media -
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. (Contd. on page 4)

- US

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

(Contd. of page 3)

Cool container with water.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture Can form explosive gas-air mixtures.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold. Use only in well ventilated areas. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
- Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

115-10-6 dimethyl ether

WEEL Long-term value: 1000 ppm

(Contd. on page 5)

US

Reviewed on 01/15/2016

Trade name:	2K	Wash	Primer	olive	gray	250ml
-------------	----	------	--------	-------	------	-------

(7	0	(Contd. of pag
	-0 propan-2-ol	
PEL	Long-term value: 980 mg/m ³ , 400 ppm	
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm	
TIV		
TLV	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm	
	BEI	
71-23	-8 propan-1-ol	
PEL	Long-term value: 500 mg/m ³ , 200 ppm	
REL	Short-term value: 625 mg/m ³ , 250 ppm	
	Long-term value: 500 mg/m ³ , 200 ppm	
	Skin	
TLV	Long-term value: 246 mg/m ³ , 100 ppm	
	-3 butan-1-ol	
PEL	Long-term value: 300 mg/m ³ , 100 ppm	
REL	Ceiling limit value: 150 mg/m³, 50 ppm Skin	
TLV	Long-term value: 61 mg/m ³ , 20 ppm	
123-8	6-4 n-butyl acetate	
PEL	Long-term value: 710 mg/m³, 150 ppm	
REL	Short-term value: 950 mg/m ³ , 200 ppm	
	Long-term value: 710 mg/m ³ , 150 ppm	
TLV	Short-term value: (950) NIC-712 mg/m ³ , (200) NIC-150 ppm Long-term value: (713) NIC-238 mg/m ³ , (150) NIC-50 ppm	
7664-	38-2 phosphoric acid	
PEL	Long-term value: 1 mg/m ³	
REL	Short-term value: 3 mg/m ³	
	Long-term value: 1 mg/m^3	
TLV	Short-term value: 3 mg/m ³	
	Long-term value: 1 mg/m ³	
	20-7 xylene	
PEL	Long-term value: 435 mg/m ³ , 100 ppm	
REL	Short-term value: 655 mg/m ³ , 150 ppm	
TIV	Long-term value: 435 mg/m^3 , 100 ppm	
TLV	Short-term value: 651 mg/m ³ , 150 ppm Long-term value: 434 mg/m ³ , 100 ppm	
	BEI	
Ingre	dients with biological limit values:	
67-63	-0 propan-2-ol	
	40 mg/L	
	Medium: urine	
	Fime: end of shift at end of workweek	
	Parameter: Acetone (background, nonspecific)	
	20-7 xylene	
	1.5 g/g creatinine Medium: urine	
	Fime: end of shift	
	Parameter: Methylhippuric acids	
		(Contd. on pag

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

(Contd. of page 5)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes.
- · Breathing equipment:

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Half mask with combination filter, class A1P2 minimum, or breathing mask with outer air supply. • **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Nitrile rubber, NBR
- · Penetration time of glove material
- Gloves must be changed after every contamination.
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- \cdot For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:
- *butyl rubber, 0,7mm* · *Eye protection:*



Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information Appearance:		
Form:	Aerosol	
Color:	Not determined.	
Odor:	Solvent-like	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	-24 °C (-11 °F)	
Flash point:	-42 °C (-44 °F)	
-	without propellants	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	235 °C (455 °F)	

Safety Data Sheet acc. to OSHA HCS

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

	(Contd. of page
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	2.0 Vol %
Upper:	18.6 Vol %
Vapor pressure at 20 °C (68 °F):	3400 hPa (2550 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	91.1 %
-	with propellants. Percentage by weight
Solids content:	7.6 %
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with acids, alkalis and oxidizing agents.
- *Conditions to avoid* No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Possible in traces.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

1314-13-2 zinc oxide

Oral LD50 7950 mg/kg (mouse)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 8)

US -

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2016

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

(Contd. of page 7)

3 3 2B

· Carcinogenic categories

Irritant

0	5
· IARC (Inte	rnational Agency for Research on Cancer)
	propan-2-ol
1330-20-7	xylene
100-41-4	ethylbenzene
· NTP (Natio	onal Toxicology Program)
None of the	ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:

1314-13-2 zinc oxide

LC50/48h 2246 mg/l (Pimephales promelas)

- EC50 2.2 mg/l (daphnia)
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

- Harmful to aquatic organisms
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Empty sacks can be disposed together with the domestic waste.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information · UN-Number · DOT, ADR, IMDG, IATA UN1950 (Contd. on page 9)

Reviewed on 01/15/2016

	(Contd. of pag
UN proper shipping name	
DOT	Aerosols, flammable
ADR	1950 Aerosols
IMDG IATA	AEROSOLS AEROSOLS, flammable
Transport hazard class(es)	MEROSOES, Jummabie
DOT	
Class	2.1 2.1
Label	2.1
ADR	
Class	2 5F Gases
Label	2.1
IMDG, IATA	
Class	2.1
Label	2.1
Packing group	
DOT	Void
ADR, IMDG, IATA	Void
	not classified
Environmental hazards:	No
Marine pollutant:	
Special precautions for user	Warning: Gases
Danger code (Kemler):	- not classified
EMS Number:	F-D,S-U
Transport in bulk according to Annex	,
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E0
· · · · ·	Not permitted as Excepted Quantity

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/15/2016

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Sara
· Section 355 (extremely hazardous substances):
None of the ingredient is listed.
· Section 313 (Specific toxic chemical listings):
67-63-0 propan-2-ol
71-36-3 butan-1-ol
1314-13-2 zinc oxide
7664-38-2 phosphoric acid
1330-20-7 xylene
100-41-4 ethylbenzene
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
100-41-4 ethylbenzene
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Cancerogenity categories
· EPA (Environmental Protection Agency)

71-36-3	butan-1-ol	D	
1314-13-2	zinc oxide	<i>D</i> ,	I, II
1330-20-7	xylene	Ι	
100-41-4	ethylbenzene	D	
· TLV (Thre	shold Limit Value established by ACGIH)		
67-63-0	propan-2-ol		A4
71-23-8	propan-1-ol		A4
1330-20-7	xylene		A4
100-41-4	ethylbenzene		A3
· MAK (Ger	man Maximum Workplace Concentration)		
100-41-4	ethylbenzene		3A
· NIOSH-Co	(National Institute for Occupational Safety and Health)		
None of the	e ingredients is listed.		
. GHS lahel	alamanta		

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

US

Reviewed on 01/15/2016

(Contd. of page 10)

· Signal word Danger

· Hazard-determining components of labeling: propan-1-ol propan-2-ol reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700) butan-1-ol · Hazard statements Extremely flammable aerosol. Pressurized container: May burst if heated. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing cancer. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area. Wear protective gloves. *Wear eye protection / face protection.* Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Take off contaminated clothing and wash it before reuse. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Date of preparation / last revision 01/15/2016 / -

(Contd. on page 12)

US -

Reviewed on 01/15/2016

Trade name: 2K Wash Primer olive gray 250ml

(Contd. of page 11)

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Aerosol 1: Flammable aerosols, Hazard Category 1 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • * Data compared to the previous version altered.