

MATERIAL SAFETY DATA SHEET



Date Issued : 09/20/2012
MSDS No : LVAPC_ENG
Date Revised : 09/25/2012
Revision No : 1

LVAPC Low VOC Wax & Grease Remover

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : LVAPC Low VOC Wax & Grease Remover
Product Description : Surface Cleaners
Product Stock/Code : LVAPC / 8010 LVAPC5 / 8012
Chemical Family : Water-based Solvent / Solvant à base d'eau
Molecular Formula : Mixture / Mélange

Manufacturer / Supplier

Dominion Sure Seal Ltd.
6175 Danville Road, Mississauga
Ontario, Canada L5T 2H7
Customer Service: 905-670-5411

Emergency Telephone Numbers (24 hour)

CANUTEC : (613) 996-6666
CHEMTREC : (800) 424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview

Immediate Concerns:

Flammable liquid and vapor. Causes serious eye irritation. Substance does not generally irritate and is only mildly irritating to the skin. Vapours may cause drowsiness and dizziness.

Potential Health Effects and Symptoms of Exposure

Eye Contact:

Contact causes serious eye irritation. Symptoms may include pain, tearing, reddening and swelling accompanied by a stinging sensation and/or a feeling like that of fine dust in the eyes.

Skin Contact:

Substance does not generally irritate and is only mildly irritating to the skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Ingestion:

Substance may be harmful if swallowed.

Inhalation:

High gas, vapor, mist or dust concentrations may be harmful if inhaled. May cause headaches and dizziness. High vapor concentrations may cause drowsiness.

Signs and Symptoms of Overexposure

Effects of Long-Term (Chronic) Exposure:

Prolonged or excessive inhalation may cause respiratory tract irritation. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Carcinogenicity:

No adverse carcinogenic effects are anticipated.

Mutagenicity:

No adverse mutagenic effects are anticipated.

Reproductive Toxicity

LVAPC Low VOC Wax & Grease Remover

Reproductive Effects:

No adverse reproductive effects are anticipated.

Teratogenicity / Embryotoxicity:

No adverse teratogenic effects are anticipated.

Routes Of Entry:

Eye contact. Inhalation. Skin contact. Ingestion.

Sensitization:

Material is not expected to be a skin or respiratory sensitizer.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient(s)	CAS No.	Wt. %
Acetone	67-64-1	5 - 10
Isopropyl alcohol	67-63-0	1 - 3

See Section 8 for Exposure Limits and Section 11 for ingredient Toxicity data.

WHMIS Classification:

Class B2: Flammable Liquids

Class D2B: Toxic Material - Eye irritation

4. FIRST AID MEASURES

Eye Contact:

Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Skin Contact:

Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and wash before reuse.

Ingestion:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Inhalation:

If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain medical attention if breathing difficulty persists.

Additional Information:

Not Available

5. FIRE FIGHTING MEASURES

Flash Point and Method : 15.5 °C Setaflash Closed Cup

Flammable Limits : 2.5 to 12.8

Notes: Based on data for acetone.

Autoignition Temperature :

No data available.

Flammable Properties:

Flammable Liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Product can be ignited by static discharge.

Extinguishing Media:

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

LVAPC Low VOC Wax & Grease Remover

Hazardous Combustion Products:

During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Fire Fighting Procedures:

Containers can build up pressure if exposed to heat (fire).

Fire Fighting Equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand, (MSHA/NIOSH approved or equivalent) and full protective gear.

Sensitivity to Static Discharge:

Product is sensitive to static discharge.

Sensitivity to Mechanical Impact:

Product is not sensitive to mechanical impact.

6. ACCIDENTAL RELEASE MEASURES

Small Spill:

Contain spilled liquid with sand or earth. DO NOT use combustible materials such as sawdust. Sweep up material being careful not to raise dust. Place in an appropriate disposal container and seal tightly.

Environmental Precautions

Water Spill:

Do not flush to sewer.

Land Spill:

Avoid runoff into storm sewers and ditches which lead to waterways.

Special Protective Equipment:

Clean up spills immediately, observing precautions in Protective Equipment section 8.

7. HANDLING AND STORAGE

General Procedures:

Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Ensure thorough ventilation of stores and work areas.

Handling:

Do not use in the presence of open flame or spark. Wear recommended personal protective equipment. Use only in a well ventilated area. Do not breath vapors. Avoid contact with eyes, skin, and clothing. After handling, always wash hands thoroughly with soap and water.

Storage:

Keep away from heat, sparks and open flame. Protect from physical damage. Keep containers tightly closed, when not in use. Store in a cool place. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Individual Ingredient Exposure Limits							
		Occupational Exposure Limits					
		OSHA PEL		ACGIH TLV		NIOSH REL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Acetone	TWA	750	1800	750	1780	NL	NL
	STEL	1000	2400	1000	2380	NL	NL
Isopropyl alcohol	TWA	400	980	400		NL	NL
	STEL	500	1225	500	1230	NL	NL

Engineering Controls:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eyes and Face:

Wear safety glasses with side shields (or goggles). Contact lenses should not be worn when working with this product. Eye wash fountains should be readily available to areas of use and handling.

Skin Contact:

Wear chemical resistant gloves.

Respiratory:

If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: Air-purifying respirator with an appropriate, government approved, air-purifying filter, cartridge or canister.

Protective Clothing:

Wear protective clothing as necessary to prevent contact.

Work Hygienic Practices:

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Promptly remove soiled clothing/wash thoroughly before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Liquid
Odor	: Ketone
Appearance	: Clear
Color	: Colourless
pH	: No data available.
% Volatiles	: 99+ % w/w
Vapor Pressure	: 24 kPa (184 mm Hg) [Acetone] at 20°C
Vapor Density	: > 1
Boiling Point	: 56 - 105 °C
Freezing Point	: Not Available
Melting Point	: Not Available
Solubility in Water	: Soluble
Evaporation Rate	

LVAPC Low VOC Wax & Grease Remover

(n-butyl acetate = 1)	: > 1
Density	: 0.98 ± 0.02 g/ml at 20°C
Viscosity	: Not Available
VOC Content	: < 25 g/l, less exempt solvents [$< 2.5\%$ w/w]
Partition Coefficient (n-octanol/water)	: Not Available
Odor Threshold	: Not Available
Oxidizing Properties	: None

Comments:

VOC Compliance Statement - LVAPC

VOC Content: (as supplied)	25 g/l (0.2 lb/gal) 2.5 % w/w
Density:	0.98 ± 0.02 g/ml
Water Content:	89.0 ± 0.5 % w/w
Exempt Content:	8.5 ± 0.5 % w/w (acetone)

VOC Regulation: SCAQMD Rule 1143 – Consumer Paint Thinners & Multi-Purpose Solvents– California, USA
Coating Category: Consumer Multi-Purpose Solvent
The product VOC content meets the 25 g/l (0.21 lb/gal) limit for Consumer Multi-Purpose Solvents. California compliant. Do not thin with solvents.

VOC Regulation: CARB Consumer Product Regulations
Coating Category: Multi-Purpose Solvent
The product VOC content meets the current 30% w/w limit and proposed 3% w/w limit (effective 12/31/2013) under the CARB Consumer Product Regulations for Multi-Purpose Solvents. California compliant. Do not thin with solvents.

VOC Regulation: VOC Concentration Limits for Automotive Refinishing Products Regulations – Canada
Coating Category: Surface Cleaners
The product VOC content meets the 50 g/l (0.42 lb/gal) limit for Surface Cleaners. Canada compliant. Do not thin with solvents

VOC Regulation: SCAQMD Rule 1151 - Motor Vehicle and Mobile Equipment Non-Assembly Line Coating Operations– California
Coating Category: Surface Cleaners
The product VOC content meets the 25 g/l (0.21 lb/gal) limit for Surface Cleaners. California compliant. Do not thin with solvents.

10. STABILITY AND REACTIVITY

Stable : Yes

Hazardous Polymerization: No

Stability:
Stable.

Polymerization:
Not expected to occur.

Conditions to Avoid:
Keep away from flames and any object that sparks.

Possibility of Hazardous Reactions:

Not Available

Hazardous Decomposition Products:

Carbon Monoxide and other toxic vapors.

Incompatible Materials:

Oxidizing materials.

11. TOXICOLOGICAL INFORMATION

Product Acute Toxicity

Acute Toxicity - Dermal LD₅₀: > 2000 mg/kg

Notes: An estimate based on component information. Not harmful.

Acute Toxicity - Oral LD₅₀: > 2000 mg/kg

Notes: An estimate based on component information. Not harmful.

Acute Toxicity - Inhalation LC₅₀: > 10000 ppm

Notes: An estimate based on component information. Not harmful.

Product Eye Irritation/Corrosion:

Causes serious eye damage.

Product Skin Irritation/Corrosion:

Substance does not generally irritate and is only mildly irritating to the skin.

Product Chronic Toxicity :

Prolonged or excessive inhalation may cause respiratory tract irritation. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Carcinogenicity

IARC:

Not listed.

NTP:

Not listed.

OSHA:

Not listed.

Notes: No adverse carcinogenic effects are anticipated.

Sensitization:

Not a respiratory or skin sensitizer.

Reproductive Effects:

No adverse reproductive effects are anticipated.

Target Organ Effects:

Eye hazard. Central nervous system effects.

Teratogenicity / Embryotoxicity:

Not known to harm the unborn child.

Mutagenicity:

No adverse mutagenic effects are anticipated.

Name of Synergistic Materials:

LVAPC Low VOC Wax & Grease Remover

None known.

COMPONENT INFORMATION:

Ingredient	Test Type	Result	Species/ Exposure Time	Acute Toxicity Estimate (ATE)	Acute Toxicity Classification
Acetone	Oral LD50	8400 mg/kg 5250 mg/kg 5300 mg/kg	rat mouse rabbit	>5000 mg/kg	Not Classified
	Dermal LD50	>15,700 mg/kg	rabbit	>5000 mg/kg	Not Classified
	Inhalation LC50 (vapor)	50,100 mg/m ³ 44,000 mg/m ³	rat, 8h mouse, 4h	>20 mg/L/4h	Not Classified
	Skin irritation / corrosion	Slight irritation	rabbit	Not an irritant	Not Classified
	Eye irritation / corrosion	Moderate to severe	rabbit	Irritant – severe	Irritant – eye
	Sensitization	Non-sensitizing	--	Non-sensitizer	Not Classified

Ingredient	Test Type	Result	Species/ Exposure Time	Acute Toxicity Estimate (ATE)	Acute Toxicity Classification
Isopropyl alcohol	Oral LD50	4710-5840 mg/kg 4475 mg/kg 5030 mg/kg	Rat mouse rabbit	>4500 mg/kg	Not Classified
	Dermal LD50	12,870 mg/kg	rabbit	>5000 mg/kg	Not Classified
	Inhalation LC50 (vapor)	51,000 mg/m ³ 72,600 mg/m ³	rat, 8h rat, 4h	>20 mg/L/4h	Not Classified
	Skin irritation / corrosion	Not irritating	rabbit	Not an irritant	Not Classified
	Eye irritation / corrosion	Irritant	rabbit	Irritant	Irritant – eye
	Sensitization	Non-sensitizer	--	Non-sensitizer	Not Classified

12. ECOLOGICAL INFORMATION

Environmental Data:

No data available.

Ecotoxicological Information:

No data available.

Bioaccumulation/Accumulation:

No data available.

Distribution:

No data available.

Aquatic Toxicity (Acute):

No data available.

Chemical Fate Information:

No data available.

13. DISPOSAL CONSIDERATIONS

Disposal Method:

Comply with applicable local, state or international regulations concerning solid or hazardous waste disposal and/or container disposal. Do not discharge substance/product into sewer system.

Product Disposal:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. TRANSPORT INFORMATION

DOT (Department of Transportation)

Proper Shipping Name : Paint Related Material

Primary Hazard Class/Division: 3

UN/NA Number : 1263

Packing Group : II

Other Shipping Information:

With an inner packaging < 5.0 L, this component may be renamed "Consumer Commodity" and reclassified as an ORM-D material as per DOT 173.150(b) and (c).

Air (ICAO/IATA)

Shipping Name : Paint Related Material

UN/NA Number : 1950

Primary Hazard Class/Division: 3

Packing Group : II

Subsidiary Risk : None

Label : Flammable Liquid

Vessel (IMO/IMDG)

Shipping Name : Paint Related Material

UN/NA Number : 1263

Primary Hazard Class/Division: 3

Packing Group : II

Marine Pollutant : None

Label : Flammable Liquid

Note: With an inner packaging < 5.0 L, this product may be shipped as a Limited Quantity.

Canadian Transportation of Dangerous Goods Regulations

Shipping Name : Paint Related Material

UN/NA Number : 1263

Primary Hazard Class/Division: 3

Packing Group : II

TDG Note:

With an inner packaging < 5.0 L, this component may be renamed "Consumer Commodity" or "Limited Quantity" as per TDG Section 1.17.

15. REGULATORY INFORMATION

UNITED STATES

SARA Section 311/312 Hazard Categories

- Fire Hazard** : Yes
- Sudden Release of Pressure** : No
- Reactive Hazard** : No
- Product Acute Toxicity** : Yes
- Product Chronic Toxicity** : Yes

EPCRA Section 313 Toxic Chemicals

Chemical Name	Wt.%	CAS No.
Isopropyl alcohol	1 - 3	67-63-0

CERCLA Hazardous Substances and Reportable Quantities (RQ)

Chemical Name	Wt.%	RQ
Acetone	5 - 10	5000

TSCA (The Toxic Substances Control Act)

TSCA Status:

All components are included or are otherwise exempt from inclusion on this inventory.

CAA 112(b) - Hazardous Air Pollutants

CAA 112(r) - List of Substances for Accidental Release Prevention:

This product contains no chemicals subject to CAA 112(b) or CAA 112(r).

California Proposition 65:

This product contains no chemicals subject to California Proposition 65.

OSHA Hazard Communication Standard (29 CFR 1910.1200):

OSHA Status: Hazardous.

Flammable liquid. Eye irritant. Target organ effects reported.

CANADA

WHMIS Hazard Symbol and Classification



Flammable Liquid



Toxic

WHMIS Regulatory Status:

WHMIS (Canada) Status: Controlled.

LVAPC Low VOC Wax & Grease Remover

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the Material Safety Data Sheet contains all the information required by the Controlled Products Regulations.

WHMIS Classification:

Class B2: Flammable Liquids

Class D2B: Toxic Material - Eye irritation

WHMIS Ingredient Disclosure List:

Ingredients present which are on the WHMIS Ingredient Disclosure List at, or above the minimum concentration specified on the list, are disclosed in Section 3.

CEPA - National Pollutant Release Inventory (NPRI):

Name	CAS No.	NPRI Part No.
Isopropyl alcohol	67-63-0	1A, 5 (VOC)

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL):

All components are included or are otherwise exempt from inclusion on this inventory.

Comments

VOC Content -- See section 9.

16. OTHER INFORMATION

Reason for Issue: NEW

Approved By: Jim Gordon **Title:** R&D Chemist

Prepared By : Product Regulatory


Information Contact: 905-670-5411

Revision Summary: This MSDS replaces the 09/20/2012 MSDS. Revised: **Section 9:** Comments. **Section 11:** COMPONENT INFORMATION.

HMIS RATING

HEALTH	*	2
FLAMMABILITY		3
PHYSICAL HAZARD		0
PERSONAL PROTECTION		B

NFPA CODES



Manufacturer Supplemental Notes:

None

Data Sources:

Not Available

Additional MSDS Information:

N/AV Not Available

N/AP Not Applicable

ND Not yet determined

IARC International Agency for Research on Cancer

NTP National Toxicology Program

CAA The Clean Air Act

CCCR The Consumer Chemicals and Containers Regulations

CEPA The Canadian Environmental Protection Act

LVAPC Low VOC Wax & Grease Remover

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act
EPCRA The Emergency Planning and Community Right-To-Know Act
OSHA The Occupational Safety and Health Act
SARA The Superfund Amendments and Reauthorization Act
WHMIS Workplace Hazardous Materials Information System

General Statements:

None

Comments:

None

Manufacturer Disclaimer:

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. No responsibility is assumed for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of this material.